W

| | | 1 4 12 4(1) |
|--|--|------------------------------|
| Notice of Allowability | Application No. | Applicant(s) |
| | 10/602,270 | KROG, H. DALE |
| | Examiner | Art Unit |
| | David Buttner | 1712 |
| The MAILING DATE of this communication appe | | |
| All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>amdt 10/6/05</u> . | | |
| 2. The allowed claim(s) is/are <u>19-37</u> . | | |
| 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. | | |
| Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in Application No | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| | | |
| | | , |
| Attachment(s) | | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal P | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | Interview Summary Paper No./Mail Dat | |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 | | nent/Comment |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. 🛛 Examiner's Stateme | ent of Reasons for Allowance |
| . Diological Material | 9. Other | |
| | | |
| | | |
| | | |

Art Unit: 1712

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jordan Meshkow on 10/26/05.

The application has been amended as follows:

In claim 19 line 1 delete "system to seal and coat" and insert --- coated stucco system ---.

In claim 19 line 2 delete "stucco".

In claim 19 line 4 before "microspheres" and insert --- hollow ---.

In claim 25 line 1 delete "sealant coating" and insert --- system ---.

In claim 26 line 1 delete "sealant coating" and insert --- system ---.

In claim 27 line 1 delete "sealant coating" and insert --- system ---.

In claim 28 line 1 delete "sealant coating" and insert --- system ---.

In claim 29 line 1 delete "sealant coating" and insert --- system ---.

In claim 30 line 1 delete "sealant coating" and insert --- system ---.

The following is an examiner's statement of reasons for allowance: Gaveske suggests multilayer coatings on masonry structures. Gaveske does not suggest microparticles. Furthermore, it is not clear if the first coat can be considered "breathable".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Buttner whose telephone number is 571-272-1084. The examiner can normally be reached on 10:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on 571-272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/602,270 Page 4

Art Unit: 1712

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David Buttner 10/26/05

DAVID J. BUTTNER PRIMARY EXAMINER

Danksthir